Author Index Vol. 779

Bächmann, K., see Brüns, M. 779(1997)342
Balbo, C., see Bicchi, C. 779(1997)315
Banholczer, A., see Pyell, U. 779(1997)155
Baygents, J.C., Schwarz, B.C.E., Deshmukh, R.R. and Bier, M.
Recycling electrophoretic separations: modeling of isotachophoresis and isoelectric focusing 779(1997)165
Bazzanella, A., see Brüns, M. 779(1997)342
Beltrán, J.L., see Ferrer, R. 779(1997)123
Benická, E., see Krupčík, J. 779(1997)253
Betti, M., Giannarelli, S. and Onor, M.
Investigations of the behaviour of tellurium(IV) and selenium(IV) in ion-exchange chromatography 779(1997)147
Bianchetti, M., see Zolla, L. 779(1997)131
Bicchi, C., Balbo, C. and Rubiolo, P.
Packed column supercritical fluid chromatography of sesquiterpene lactones with different carbon skeletons 779(1997)315
Bier, M., see Baygents, J.C. 779(1997)165
Brüns, M., Bazzanella, A., Lochmann, H., Bächmann, K. and Ullrich-Eberius, C.
Determination of indole-3-acetic acid in plant tissues by capillary electrophoresis 779(1997)342
Bushey, M.M., see Nittler, M.P. 779(1997)205
Castello, G., Vezzani, S. and D'Amato, G.
Effect of temperature on the polarity of some stationary phases for gas chromatography 779(1997)275
Chang, Q.-l. and Parkin, K.L.
Preparation and liquid chromatographic analysis of propanediol fatty acid esters 779(1997)337
Claessens, H.A., see Vissers, J.P.C. 779(1997)1
Coman, V., Măruţoiu, C. and Puiu, S.
Optimization of separation of some polycyclic aromatic compounds by thin-layer chromatography 779(1997)321
Corradini, D., see Zolla, L. 779(1997)131
Cramers, C.A., see Vissers, J.P.C. 779(1997)1
D'Amato, G., see Castello, G. 779(1997)275
Debusschère, L., Demesmay, C., Rocca, J.L., Lachatre, G. and Lofti, H.
Separation of cardiac glycosides by micellar electrokinetic chromatography and microemulsion electrokinetic chromatography 779(1997)227
Demesmay, C., see Debusschère, L. 779(1997)227
Desai, R.A., see Nittler, M.P. 779(1997)205
Deshmukh, R.R., see Baygents, J.C. 779(1997)165
Dorsey, J.G., see Doyle, C.A. 779(1997)91
Doyle, C.A., Vickers, T.J., Mann, C.K. and Dorsey, J.G.
Characterization of liquid chromatographic stationary phases by Raman spectroscopy. Effect of ligand type 779(1997)91
Dreux, M., see Mercier, J.-P. 779(1997)245
Fernandez, E.J., see Mitchell, N.S. 779(1997)73
Ferreira, M.C., see Stashenko, E.E. 779(1997)360
Ferrer, R., Guiteras, J. and Beltrán, J.L.
Development of fast-scanning fluorescence spectra as a detection system for high-performance liquid chromatography. Determination of polycyclic aromatic hydrocarbons in water samples 779(1997)123
Fujinari, E.M., see Shi, H. 779(1997)307
Giannarelli, S., see Betti, M. 779(1997)147
Gonzalez, F.R. and Nardillo, A.M.
Aspects of the elution order inversion by pressure changes in programmed-temperature gas chromatography 779(1997)263
Greňa, M., see Krupčík, J. 779(1997)253
Guiteras, J., see Ferrer, R. 779(1997)123
Hagel, L., see Mitchell, N.S. 779(1997)73
Hansen, S.H., see Tjørnelund, J. 779(1997)235
Hauser, P.C., see Schnierle, P. 779(1997)347
Her, G.-R., see Ju, D.-D. 779(1997)195
Hrouzek, J., see Krupčík, J. 779(1997)253
Ju, D.-D., Lai, C.-C. and Her, G.-R.
Analysis of gangliosides by capillary zone electrophoresis and capillary zone electrophoresis–electrospray mass spectrometry 779(1997)195
Kanda, T., see Ohkubo, A. 779(1997)113
Krupčík, J., Greňa, M., Špánik, I., Benická, E., Hrouzek, J., Skačáni, I. and Sandra, P.
Computerized optimization of selectivity for direct capillary gas chromatographic multicomponent separations of enantiomers 779(1997)253
Kurtin, W.E., see Nittler, M.P. 779(1997)205
Lachatre, G., see Debusschère, L. 779(1997)227
Lai, C.-C., see Ju, D.-D. 779(1997)195
Legendre Jr., B.L., Moberg, D.L., Williams, D.C. and Soper, S.A.
Ultrasensitive near-infrared laser-induced fluorescence detection in capillary electrophoresis using a diode laser and avalanche photodiode 779(1997)185
Li, S.F.Y., see Wang, T. 779(1997)215
Lochmann, H., see Brüns, M. 779(1997)342
Lofti, H., see Debusschère, L. 779(1997)227
Luque de Castro, M.D., see Papaefstathiou, I. 779(1997)352
Mann, C.K., see Doyle, C.A. 779(1997)91
Manninen, P.K.G., see Pantsar-Kallio, M. 779(1997)139
Martínez, J.R., see Stashenko, E.E. 779(1997)360
Măruţoiu, C., see Coman, V. 779(1997)321
Mercier, J.-P., Morin, P., Dreux, M. and Tambute, A.
Capillary electrophoresis separation of alkylphosphonic acid monoesters with indirect ultraviolet detection 779(1997)245
Mitchell, N.S., Hagel, L. and Fernandez, E.J.
In situ analysis of protein chromatography and column efficiency using magnetic resonance imaging 779(1997)73
Moberg, D.L., see Legendre Jr., B.L. 779(1997)185
Morin, Ph., see Mercier, J.-P. 779(1997)245
Nardillo, A.M., see Gonzalez, F.R. 779(1997)263
Nawrocki, J.
The silanol group and its role in liquid chromatography 779(1997)29

Nerín, C., see Zufiaurre, R. 779(1997)299
Nittler, M.P., Desai, R.A., Salikof, D.A., Kurtin, W.E. and Bushey, M.M.
Bile salt micellar electrokinetic chromatography of bilirubin and related compounds 779(1997)205
Ohkubo, A., Kanda, T., Ohtsu, Y. and Yamaguchi, M.
Synthesis and characterization of a strong cation exchanger based on polymer-coated silica for high-performance liquid chromatography 779(1997)113
Ohtsu, Y., see Ohkubo, A. 779(1997)113
Onor, M., see Betti, M. 779(1997)147
Pantsar-Kallio, M. and Manninen, P.K.G.
Simultaneous determination of toxic arsenic and chromium species in water samples by ion chromatography–inductively coupled plasma mass spectrometry 779(1997)139
Papaefstathiou, I. and Luque de Castro, M.D.
Hyphenated pervaporation–solid-phase preconcentration–gas chromatography for the determination of volatile organic compounds in solid samples 779(1997)352
Parkin, K.L., see Chang, Q.-l. 779(1997)337
Pons, B., see Zufiaurre, R. 779(1997)299
Prošek, M., see Vovk, I. 779(1997)329
Puiu, S., see Coman, V. 779(1997)321
Pyell, U., Rebscher, H. and Banholczer, A.
Influence of sample plug width in capillary electrochromatography 779(1997)155
Rebscher, H., see Pyell, U. 779(1997)155
Rocca, J.L., see Debusschère, L. 779(1997)227
Rubiolo, P., see Bicchi, C. 779(1997)315
Salikof, D.A., see Nittler, M.P. 779(1997)205
Sandra, P., see Krupčík, J. 779(1997)253
Schnierle, P. and Hauser, P.C.
Prevention of peak overlap in the capillary electrophoretic separation of inorganic cations by use of a positively charged coated capillary 779(1997)347
Schwarz, B.C.E., see Baygents, J.C. 779(1997)165
Sequeda, L.G., see Stashenko, E.E. 779(1997)360
Shi, H., Taylor, L.T., Fujinari, E.M. and Yan, X.
Sulfur-selective chemiluminescence detection with packed column supercritical fluid chromatography 779(1997)307
Skačáni, I., see Krupčík, J. 779(1997)253
Soper, S.A., see Legendre Jr., B.L. 779(1997)185
Špánik, I., see Krupčík, J. 779(1997)253
Stashenko, E.E., Ferreira, M.C., Sequeda, L.G., Martínez, J.R. and Wong, J.W.
Comparison of extraction methods and detection systems in the gas chromatographic analysis of volatile carbonyl compounds 779(1997)360
Tambute, A., see Mercier, J.-P. 779(1997)245
Taylor, L.T., see Shi, H. 779(1997)307
Timperio, A.M., see Zolla, L. 779(1997)131
Tjørnelund, J. and Hansen, S.H.
Use of metal complexation in non-aqueous capillary electrophoresis systems for the separation and improved detection of tetracyclines 779(1997)235
Tudor, E.
Temperature dependence of the retention index for perfumery compounds on a SE-30 glass capillary column. I. Linear equations 779(1997)287
Ullrich-Eberius, C., see Brüns, M. 779(1997)342
Vezzani, S., see Castello, G. 779(1997)275
Vickers, T.J., see Doyle, C.A. 779(1997)91
Vissers, J.P.C., Claessens, H.A. and Cramers, C.A.
Microcolumn liquid chromatography: instrumentation, detection and applications 779(1997)1
Vovk, I. and Prošek, M.
Reproducibility of densitometric and image analysing quantitative evaluation of thin-layer chromatograms 779(1997)329
Wang, T. and Li, S.F.Y.
Separation of ribonucleotides by capillary electrophoresis with multifunctional electrophoretic media of phosphate ammonium salts 779(1997)215
Williams, D.C., see Legendre Jr., B.L. 779(1997)185
Wong, J.W., see Stashenko, E.E. 779(1997)360
Yamaguchi, M., see Ohkubo, A. 779(1997)113
Yan, X., see Shi, H. 779(1997)307
Zolla, L., Bianchetti, M., Timperio, A.M. and Corradini, D.
Rapid resolution by reversed-phase high-performance liquid chromatography of the thylakoid membrane proteins of the photosystem II light-harvesting complex 779(1997)131
Zufiaurre, R., Pons, B. and Nerín, C.
Speciation of trimethyllead in rainwater by gas chromatography–mass spectrometry after ethylation with sodium tetraethylborate. Comparison with other alkylation methods 779(1997)299